



Biofertilizers as Eco-Friendly Alternatives to Chemical Fertilizers

Naman Pathania¹
Anil Kumar²
Ramdeen Kumar²
Manjul Jain²

¹Assistant Professor (Soil Science), Department of Agriculture, Doon (PG) College of Agriculture Science and Technology, Dehradun

²Assistant Professor, School of Agriculture, Ekavya University Damoh, Madhya Pradesh



Open Access

*Corresponding Author

Naman Pathania*

Article History

Received: 11.08.2026

Revised: 16.08.2026

Accepted: 21.08.2026

This article is published under the terms of the [Creative Commons Attribution License 4.0](https://creativecommons.org/licenses/by/4.0/).

INTRODUCTION

Agriculture depends heavily on fertilizers to supply essential nutrients required for crop growth and productivity. Chemical fertilizers such as urea, diammonium phosphate (DAP), muriate of potash (MOP), and complex fertilizers have played an important role in increasing agricultural production. However, their excessive and imbalanced use may contribute to soil degradation, nutrient imbalance, water pollution, greenhouse-gas emissions, and reduction in soil biological activity. In this context, biofertilizers have emerged as an important component of sustainable and environmentally friendly agriculture. Biofertilizers are preparations containing living microorganisms that improve the availability of nutrients to plants through biological processes such as nitrogen fixation, phosphate solubilization, potassium mobilization, sulphur oxidation, and production of plant-growth-promoting substances. Biofertilizers do not simply act as direct substitutes for all chemical fertilizers. Rather, they are important biological inputs that complement fertilizers and improve nutrient-use efficiency. Their integration with organic manures, chemical fertilizers, crop residues, and other sustainable practices can reduce dependence on synthetic inputs while maintaining crop productivity. Biofertilizers are particularly valuable in integrated nutrient management (INM), organic farming, natural farming, conservation agriculture, and climate-smart agricultural systems.

2. Definition of Biofertilizers

A biofertilizer is a preparation containing living or dormant microorganisms that, when applied to seed, soil, or plant surfaces, colonize the rhizosphere or plant tissues and promote plant growth by increasing the availability or supply of essential nutrients.

In simple words, biofertilizers are microbial inputs that help plants obtain nutrients naturally through biological activities. The microorganisms used in biofertilizers may include bacteria, fungi, cyanobacteria, and other beneficial microorganisms. Important examples include:

- Rhizobium
- Azotobacter
- Azospirillum
- phosphate-solubilizing bacteria (PSB)

- potassium-solubilizing bacteria (KSB)
- cyanobacteria
- arbuscular mycorrhizal fungi (AMF)
- sulphur-oxidizing microorganisms
- zinc-solubilizing microorganisms

Biofertilizers differ from chemical fertilizers because their major function is to enhance nutrient cycling and availability through biological processes, rather than directly supplying large quantities of nutrients in mineral form.



3. Need for Biofertilizers

The increasing use of chemical fertilizers has contributed significantly to agricultural productivity. However, continuous and indiscriminate application can create several problems.

3.1 Soil Fertility Decline

Long-term nutrient imbalance can affect soil fertility. Excessive application of some nutrients without adequate supply of others may disturb nutrient balance and reduce soil productivity.

3.2 Decline in Soil Biological Activity

Beneficial microorganisms are essential for decomposition, nutrient cycling, and soil structure formation. Poor nutrient

management and intensive agricultural practices may negatively influence soil biological diversity.

3.3 Water Pollution

Excess nitrogen and phosphorus can move from agricultural fields into surface water and groundwater. Nutrient enrichment of water bodies can contribute to eutrophication and deterioration of water quality.

3.4 Environmental Concerns

The production and use of nitrogen fertilizers are associated with energy consumption and greenhouse-gas emissions. Improving biological nutrient management can contribute to reducing the environmental footprint of agriculture.

3.5 Increasing Input Costs

Chemical fertilizers can represent a significant component of crop production costs. Efficient use of biofertilizers may help reduce unnecessary expenditure on some nutrient inputs.

3.6 Sustainable Agriculture

Modern agriculture requires systems that maintain productivity while protecting soil, water, biodiversity, and environmental quality. Biofertilizers are therefore important components of sustainable nutrient management.

4. Major Types of Biofertilizers

Biofertilizers can be classified according to their microorganisms and functions.

4.1 Nitrogen-Fixing Biofertilizers

Nitrogen is an essential nutrient required for protein synthesis, chlorophyll formation, and vegetative growth. Atmospheric nitrogen is abundant but cannot be directly utilized by most plants. Certain microorganisms convert atmospheric nitrogen into forms that become available to plants.

A. Rhizobium

Rhizobium is a beneficial symbiotic nitrogen-fixing bacterium mainly associated with leguminous crops such as chickpea, pea, lentil, soybean, groundnut, pigeonpea, mungbean and urdbean. It enters the roots of compatible legumes and forms specialized structures called root nodules. Inside these nodules, atmospheric nitrogen (N_2) is converted into forms that can be utilized by plants. Proper seed inoculation with compatible Rhizobium strains promotes effective nodulation and improves nitrogen nutrition, plant growth and productivity. Thus, Rhizobium biofertilizer reduces dependence on chemical nitrogen fertilizers and contributes to sustainable nutrient management.

B. Azotobacter:

Azotobacter is a free-living nitrogen-fixing bacterium used mainly in non-leguminous crops such as wheat, maize, cotton, vegetables, sugarcane, and horticultural crops. It fixes atmospheric nitrogen and produces growth-promoting substances, thereby improving root development, nutrient uptake, and crop growth. It may contribute nitrogen fixation and also produce substances that promote plant growth.

C. Azospirillum

Azospirillum is an associative nitrogen-fixing bacterium mainly associated with cereals and grasses. It is commonly used in rice, maize, wheat, sorghum, pearl millet, and sugarcane. Besides fixing atmospheric nitrogen, Azospirillum produces plant-growth-promoting substances that enhance root development, nutrient uptake, plant growth, and ultimately crop productivity.

5. Phosphate-Solubilizing Biofertilizers

Phosphorus is an essential macronutrient required for energy transfer, root development, flowering, seed formation, cell division, and overall plant growth. However, much of the phosphorus present in soil occurs in insoluble forms that plants cannot readily absorb.

Phosphate-solubilizing microorganisms (PSMs) convert some insoluble phosphate compounds into available forms. Important PSMs include *Bacillus*, *Pseudomonas*, *Aspergillus*, and *Penicillium* species. They produce organic acids and other substances that dissolve or mobilize unavailable phosphorus. Thus, phosphate-solubilizing biofertilizers improve phosphorus availability, enhance nutrient uptake, and increase the efficiency of applied phosphorus fertilizers. They also support healthy crop growth and improve fertilizer-use efficiency.

6. Potassium-Solubilizing Biofertilizers

Potassium-solubilizing microorganisms (KSMs) help release potassium from insoluble mineral sources such as feldspar and mica. They produce organic acids and other substances that increase potassium availability in soil. Potassium is essential for enzyme activation, water regulation, stomatal function, photosynthesis, disease resistance and crop quality. KSMs improve nutrient cycling, potassium availability and plant growth. They can complement potassium fertilizers and support efficient nutrient management, soil fertility and sustainable agricultural production.

7. Mycorrhizal Biofertilizers

Arbuscular mycorrhizal fungi (AMF) form beneficial associations with plant roots. Their fungal hyphae extend into surrounding soil, increasing the effective root area. They particularly improve the uptake of phosphorus, zinc and copper. Mycorrhizae also enhance water absorption, root development, drought tolerance, soil aggregation and resistance to environmental stresses. Thus, mycorrhizal biofertilizers improve nutrient-use efficiency, plant growth, soil health and sustainable crop production.

8. Cyanobacterial Biofertilizers

Cyanobacteria, or blue-green algae, are useful biofertilizers, particularly in flooded rice ecosystems. Important examples include *Anabaena*, *Nostoc* and *Aulosira*. Some species fix atmospheric nitrogen and improve soil fertility. The *Azolla*–*Anabaena* association is especially important in rice cultivation, as *Azolla* provides a habitat for nitrogen-fixing cyanobacteria.

Cyanobacterial biofertilizers can reduce dependence on chemical nitrogen fertilizers and support sustainable, low-input rice production.

9. Sulphur- and Micronutrient-Solubilizing Microorganisms

Certain beneficial microorganisms improve the availability of sulphur and micronutrients in soil. Sulphur-oxidizing microorganisms convert reduced sulphur into plant-available forms required for protein synthesis and enzyme activity. Other microorganisms increase the availability of zinc, iron, manganese and copper. Thus, these microorganisms enhance nutrient cycling, correct nutrient deficiencies, improve plant nutrition and contribute to sustainable soil fertility management.

10. Mechanisms of Action of Biofertilizers

Biofertilizers promote plant growth through several mechanisms.

10.1 Biological Nitrogen Fixation

Nitrogen-fixing microorganisms convert atmospheric nitrogen into biologically useful forms.

This is especially important in legume–*Rhizobium* associations.

10.2 Phosphate Solubilization

Microorganisms produce organic acids and other compounds that help convert insoluble phosphorus into more available forms.

10.3 Nutrient Mobilization

Certain microorganisms mobilize potassium, zinc, iron, sulphur, and other nutrients from unavailable forms.

10.4 Production of Plant Growth Regulators

Some beneficial microorganisms produce plant growth-promoting substances such as indole-3-acetic acid (IAA), gibberellin-like compounds, cytokinins, and other metabolites. These substances stimulate root development, cell division, cell elongation, nutrient uptake, and overall plant growth. Microbial production of plant growth regulators can improve root architecture and help plants utilize water and nutrients more efficiently, thereby contributing to better crop establishment, growth and productivity.

10.5 Siderophore Production

Some beneficial bacteria produce siderophores, which bind iron and can improve iron acquisition while influencing microbial competition in the rhizosphere.

10.6 Improvement of Root Development

Beneficial microorganisms can stimulate root branching and root-hair development. A stronger root system improves the plant's ability to acquire water and nutrients.

10.7 Improvement of Soil Biological Activity

Biofertilizers contribute to microbial activity in the rhizosphere and support biological nutrient cycling.

11. Biofertilizers as Eco-Friendly Alternatives to Chemical Fertilizers

Biofertilizers are eco-friendly biological inputs containing beneficial microorganisms that improve nutrient availability and plant growth. They can reduce excessive dependence on chemical fertilizers and promote sustainable agriculture. Biofertilizers improve nutrient-use efficiency by increasing nutrient availability and utilization by crops. They may also reduce nutrient losses through leaching and runoff, thereby helping to minimize environmental pollution. Their use supports beneficial microbial activity, nutrient cycling and overall soil health. Biofertilizers contribute to sustainable crop production by improving resource-use efficiency and maintaining soil fertility. They can be integrated with chemical fertilizers, FYM, compost, vermicompost, crop residues and green manure under Integrated Nutrient Management.

12. Advantages of Biofertilizers

Biofertilizers provide several agricultural and environmental benefits.

12.1 Environmental Benefits

- Reduce excessive dependence on synthetic fertilizers.

- Support biological nutrient cycling.
- Help maintain soil biological health.
- Reduce potential nutrient losses when nutrient management is improved.
- Contribute to environmentally sustainable agriculture.

12.2 Agronomic Benefits

- Improve nutrient availability.
- Promote root development.
- Improve plant establishment.
- Increase nutrient-use efficiency.
- Support crop growth and productivity.
- Improve soil microbial activity.

12.3 Economic Benefits

Require relatively small application quantities.

Can improve the efficiency of applied fertilizers.

May reduce fertilizer expenditure in integrated nutrient-management systems.

Can be produced using microbial technologies and locally adapted strains.

12.4 Long-Term Soil Benefits

Regular use of biological inputs as part of a balanced nutrient-management programme can improve soil health over the long term. Biofertilizers support microbial diversity, nutrient cycling, soil aggregation, organic matter decomposition, and beneficial biological activity. These processes improve nutrient availability, soil structure and fertility. Consequently, the continuous and appropriate use of biological inputs can contribute to healthier soils, better crop growth, efficient nutrient utilization and sustainable agricultural production.

13. Methods of Application

Biofertilizers can be applied through different methods depending on the crop, microorganism and farming system. Proper application ensures better contact between beneficial microorganisms and the plant or soil.

13.1 Seed Treatment

Seed treatment involves coating seeds with a suitable microbial formulation before sowing. It is commonly used for *Rhizobium*, *Azospirillum*, and other beneficial microbial inoculants. The process improves contact between microorganisms and emerging roots, supporting early plant growth and nutrient availability. Generally, a suitable biofertilizer is selected, an adhesive solution is prepared if necessary, and the inoculant is mixed uniformly with seeds. Treated seeds are dried under shade and sown soon after treatment for better microbial survival and effectiveness.

13.2 Soil Application

In soil application, biofertilizers are mixed with compost, farmyard manure, or other suitable organic carriers and applied directly to the soil. This method helps distribute beneficial microorganisms throughout the root zone, where they can establish and interact with plant roots. Soil application is useful for improving nutrient availability, microbial activity and nutrient cycling. Proper soil moisture and suitable environmental conditions support microbial survival and effectiveness after application.

13.3 Seedling Root Dip

In the seedling root-dip method, roots of seedlings are immersed in a suitable microbial suspension before transplanting. This allows beneficial microorganisms to attach to the roots and establish near the root zone after transplanting. The method is commonly useful for transplanted crops and can support early root development, nutrient availability and plant establishment.

13.4 Drip or Irrigation-Based Application

Liquid microbial formulations may be applied through drip irrigation or other irrigation systems when permitted by the

product label and recommended agronomic practices. This method can distribute microorganisms uniformly around the crop root zone. Proper formulation, application rate and irrigation conditions are important for maintaining microbial viability and effectiveness.

14. Role of Biofertilizers in Integrated Nutrient Management

Integrated Nutrient Management (INM) combines chemical fertilizers, organic manures, crop residues, green manures, biofertilizers and other nutrient resources. Biofertilizers strengthen the biological component of INM by improving nutrient availability, cycling and utilization. For example, cereal-legume systems may combine chemical fertilizers, organic manure, *Rhizobium*, PSB and crop-residue management. Such integration can reduce nutrient losses, improve soil fertility and sustain productivity. Biofertilizers should be selected according to the crop, soil type, nutrient requirement, microbial compatibility, climate and recommended agricultural practices for effective results.

15. Biofertilizers and Climate-Smart Agriculture

Climate change causes challenges such as drought, heat stress, irregular rainfall, soil degradation and declining water availability. Biofertilizers can support climate-smart agriculture by improving nutrient-use efficiency, root development and overall plant health. Beneficial microorganisms may enhance plant tolerance to environmental stresses through better nutrient acquisition, improved water-use efficiency, production of stress-related metabolites, stronger root systems and interactions with plant defence mechanisms. Thus, biofertilizers can contribute to resilient, resource-efficient and sustainable crop production under changing climatic conditions.

16. Biofertilizers and Soil Health

Soil is a living ecosystem containing bacteria, fungi, archaea, protozoa and other organisms. Beneficial microorganisms play important roles in decomposition, nutrient mineralization, nutrient immobilization, nitrogen fixation, phosphorus solubilization, organic matter transformation and soil aggregation. Biofertilizers support these biological processes and improve nutrient cycling and microbial activity. Their regular and appropriate use can therefore contribute to soil health management, in which the chemical, physical and biological properties of soil are managed together for sustainable crop production.

17. Future Prospects

The future of biofertilizers is closely associated with advances in microbiology, biotechnology, soil science and digital agriculture. Important developments include microbial consortia, where compatible microorganisms provide multiple functions such as nitrogen fixation, phosphorus solubilization and plant-growth promotion. Advanced formulations may improve microbial survival and field performance. Microbiome-based agriculture can identify beneficial microbial communities for specific crops and soils. Precision biofertilization using soil testing, sensors and remote sensing may improve application efficiency. Biofertilizers can also support circular agriculture by utilizing agricultural residues and organic wastes as microbial substrates or carriers, promoting nutrient recycling and sustainable farming.

CONCLUSION

Biofertilizers are an important biological approach to sustainable nutrient management. They use beneficial microorganisms to improve nitrogen fixation, nutrient solubilization, root growth and biological nutrient cycling. Important biofertilizers include *Rhizobium*, *Azotobacter*,

Azospirillum, phosphate- and potassium-solubilizing microorganisms, cyanobacteria and arbuscular mycorrhizal fungi. They improve nutrient-use efficiency, soil biological health and sustainable crop production while reducing excessive chemical fertilizer dependence. However, their effectiveness depends on microbial quality, crop compatibility, soil and environmental conditions, storage and proper application. Therefore, biofertilizers should be integrated with chemical fertilizers, organic manures and crop residues under Integrated Nutrient Management.

REFERENCES

- Sahoo, R. K., Bhardwaj, D., & Tuteja, N. (2012). Biofertilizers: a sustainable eco-friendly agricultural approach to crop improvement. In *Plant acclimation to environmental stress* (pp. 403-432). New York, NY: Springer New York.
- Riaz, U., Mehdi, S. M., Iqbal, S., Khalid, H. I., Qadir, A. A., Anum, W., ... & Murtaza, G. (2020). Bio-fertilizers: eco-friendly approach for plant and soil environment. In *Bioremediation and biotechnology: sustainable approaches to pollution degradation* (pp. 189-213). Cham: Springer International Publishing.
- Aggani, S. L. (2013). Development of bio-fertilizers and its future perspective. *Scholars Academic Journal of Pharmacy*, 2(4), 327-332.
- Reddy, C. (2018). Role of bio-fertilizers towards sustainable agricultural development: A review. *Journal of Pharmacognosy and Phytochemistry*.
- Chakraborty, T., & Akhtar, N. (2021). Biofertilizers: prospects and challenges for future. *Biofertilizers: study and impact*, 575-590.