Available online at
http://currentagriculturetrends.vitalbiotech.org/

ISSN (E): 2583 – 1933

Curr. Agri.Tren.:e- Newsletter, (2026) *5*(11), 11-15

Current Agriculture Trends: e-Newsletter

Article ID: 775

Climate-Smart Soil and Agronomic Management: Integrating Soil Health, Precision Technologies and Sustainable Crop Production

Satyendra Patley[1]
Vinay Kumar Pandey[2]
A. Amrutha Reddy[3]
Muthe Santosh Tukaram[4]
Vidhu Dixit[5]

[1]Scientist, Department of Soil Science Regional Agriculture Research Station (RARS), Bilaspur, IGKV, C.G
[2]Assistant Professor, Department of Agronomy, Shri Lal Bahadur Shastri Degree College, Gonda (U.P.)
[3]Ph.D. Scholar, Department of Agronomy, College of Agriculture Rajendranagar, Professor Jayashankar Telangana Agricultural University Telangana, India
[4]Young Professional -II, Cotton Improvement Project, Mahatma Phule Krishi Vidyapeeth, Rahuri-MS, India
[5]Assistant Professor, Department of Soil Science and Agricultural Chemistry, Chandra Shekhar Azad University of Agriculture and Technology

Open Access

*Corresponding Author
Satyendra Patley*

Article History
Received: 04. 11.2026
Revised: 09. 11.2026
Accepted: 14. 11.2026

This article is published under the terms of the Creative Commons Attribution License 4.0.

INTRODUCTION

Agriculture is highly dependent on climatic conditions and natural resources, particularly soil, water, temperature and solar radiation. However, climate change has significantly increased the uncertainty associated with agricultural production. Rising temperatures, changing rainfall patterns, frequent droughts, extreme weather events and increasing atmospheric carbon dioxide concentrations are influencing crop growth, soil processes and agricultural productivity. These changes are particularly concerning in developing countries, where a large proportion of the population depends on agriculture for livelihood and food security.

Soil degradation is another major challenge affecting agricultural sustainability. Continuous intensive cultivation, excessive tillage, imbalanced fertilizer application, removal or burning of crop residues, soil erosion and improper irrigation practices contribute to declining soil organic matter, nutrient depletion, compaction and deterioration of soil biological activity. Degraded soils have limited capacity to retain water and nutrients, making agricultural systems more vulnerable to climate variability.

Climate-smart agriculture (CSA) has emerged as an integrated approach to addressing these challenges. The Food and Agriculture Organization (FAO) introduced the concept of climate-smart agriculture to promote agricultural systems that simultaneously pursue three major objectives: sustainably increasing agricultural productivity and incomes, adapting and building resilience to climate change, and reducing or removing greenhouse gas emissions wherever possible. These objectives are commonly referred to as the three pillars of climate-smart agriculture.

2. Soil Health as the Foundation of Climate-Smart Agriculture

Soil health refers to the continued capacity of soil to function as a living ecosystem that supports plant growth, regulates water movement, cycles nutrients and maintains biological diversity. Healthy soil provides an appropriate physical environment for root development, adequate nutrient availability, suitable soil structure and favourable biological activity. It also plays an important role in climate regulation through carbon storage and greenhouse gas exchange.

Soil health is generally assessed through physical, chemical and biological indicators. Physical indicators include soil texture, bulk density, aggregate stability, infiltration rate, porosity and water-holding capacity. Chemical indicators include soil pH, electrical conductivity, organic carbon, available nitrogen, phosphorus, potassium and micronutrient status. Biological indicators include microbial biomass, soil respiration, enzyme activity, earthworm populations and microbial diversity.

Table 1: Major climate-smart soil and agronomic management practices and their contributions to sustainable crop production

Management practice/technology	Major application	Contribution to climate-smart agriculture
Conservation agriculture	Minimum tillage, residue retention and crop diversification	Reduces erosion, conserves soil moisture and supports soil carbon management
Cover cropping	Growing leguminous and non-leguminous crops between main crops	Improves soil organic matter, protects soil and supports nutrient cycling
Integrated nutrient management	Combining organic manures, fertilizers and biofertilizers	Improves nutrient-use efficiency and maintains soil fertility
Crop rotation	Rotating cereals, pulses, oilseeds and other crops	Breaks pest cycles, improves soil fertility and reduces production risks
Organic amendments	Application of compost, FYM and vermicompost	Improves soil structure, microbial activity and water-holding capacity
Drip and sprinkler irrigation	Supplying water according to crop requirements	Improves water-use efficiency and reduces unnecessary water application
Remote sensing and GIS	Monitoring crop health, soil variability and land resources	Supports field-level planning and location-specific management
IoT and soil sensors	Real-time monitoring of soil moisture, temperature and EC	Improves irrigation scheduling and resource-use efficiency
Artificial intelligence	Analysis of agricultural, climatic and soil data	Supports yield prediction, stress detection and farm decision-making
Drone technology	Crop monitoring and precision field operations	Improves crop surveillance and targeted input application
Variable Rate Technology	Applying inputs according to spatial variability	Reduces input wastage and improves fertilizer-use efficiency
Agroforestry	Integration of trees with crops and livestock	Enhances carbon storage, biodiversity and farm resilience
Integrated farming systems	Combining crops, livestock, fisheries and other enterprises	Promotes resource recycling and income diversification
Climate-resilient varieties	Cultivation of drought-, heat- and salinity-tolerant crops	Stabilizes crop productivity under climatic stresses

3. Climate-Smart Soil Management Practices

Climate-smart soil management involves the adoption of practices that improve soil fertility, conserve organic matter, reduce erosion and enhance soil water availability. Conservation agriculture is one of the major approaches and is based on three interrelated principles: minimum mechanical soil disturbance, permanent soil cover and crop diversification through rotations or associations.

Reduced tillage and zero tillage minimize soil disturbance and can reduce fuel consumption, labour requirements and erosion. In suitable production systems, reduced tillage also supports the accumulation of organic matter near the soil surface and helps maintain soil structure. However, the effectiveness of conservation tillage depends on soil type, crop rotation, residue availability, weed pressure and suitable equipment.

4. Climate-Smart Agronomic Management Practices

Agronomic management plays a vital role in improving crop productivity and reducing the vulnerability of agricultural systems to climate variability. Climate-smart agronomic practices focus on optimizing crop establishment, nutrient management, irrigation, crop rotation, planting time and other field operations according to local environmental conditions.

Crop diversification and crop rotation are important strategies for maintaining soil fertility and reducing production risks. Continuous cultivation of a single crop can lead to nutrient depletion, increased pest and disease pressure and deterioration of soil biological diversity. Crop rotation involving cereals, pulses, oilseeds and fodder crops improves nutrient cycling and interrupts pest and disease cycles. Inclusion of leguminous crops such as chickpea, pigeon pea, mung bean and soybean can contribute biological nitrogen fixation and reduce dependence on external nitrogen inputs.

Climate-resilient crop varieties are essential for maintaining productivity under changing climatic conditions. The development and adoption of drought-tolerant, heat-tolerant, flood-tolerant, salinity-tolerant and disease-resistant varieties can improve crop performance under environmental stresses. Short-duration varieties are particularly useful in regions experiencing delayed monsoon rainfall or terminal drought. Crop improvement programmes should combine conventional breeding, marker-assisted selection, genomic selection and other modern breeding technologies to develop varieties suited to future climatic conditions.

Integrated nutrient management improves nutrient availability while minimizing nutrient losses. Balanced application of nitrogen, phosphorus, potassium, sulphur and micronutrients is necessary for optimum crop growth. Excessive nitrogen application may increase nitrous oxide emissions and result in nutrient losses through leaching and volatilization. Split application, fertigation, placement of fertilizers near the root zone and the use of nutrient-efficient varieties can improve fertilizer-use efficiency. Legume-based rotations, biofertilizers and organic amendments further strengthen nutrient management.

5. Precision Technologies for Climate-Smart Soil Management

Precision agriculture involves the application of modern information and communication technologies to manage agricultural inputs and field operations according to spatial and temporal variability. Conventional agricultural practices often apply fertilizers, irrigation water and pesticides uniformly across entire fields, even when crop and soil requirements vary considerably. Precision agriculture addresses this limitation by using field-specific information to improve input management and resource-use efficiency.

Remote sensing technology provides information about crop health, vegetation growth, soil moisture and land-use conditions through satellite or aerial observations. Vegetation indices such as the Normalized Difference Vegetation Index (NDVI) and Enhanced Vegetation Index (EVI) are used to assess crop vigour and identify areas experiencing stress. Satellite imagery can support crop monitoring, drought assessment and the identification of spatial variability in agricultural fields.

Geographic Information Systems (GIS) are used to collect, analyse and visualize spatial information related to soil properties, crop distribution, topography, irrigation facilities and climatic conditions. GIS-based soil fertility mapping helps identify nutrient-deficient areas and supports site-specific fertilizer recommendations. Integration of GIS with GPS enables accurate field mapping and location-specific agricultural operations.

Internet of Things (IoT) and sensor-based technologies are increasingly being used for real-time monitoring of soil and environmental conditions. Soil moisture sensors, temperature sensors, electrical conductivity sensors and automated weather stations provide information required for irrigation scheduling and nutrient management. These systems can be connected to automated irrigation equipment, allowing water application according to actual crop requirements. Sensor-based irrigation management is particularly useful in horticultural crops, greenhouse production and high-value agricultural systems.

6. Integration of Soil Health and Precision Technologies

The integration of soil health management with precision technologies provides a comprehensive framework for sustainable crop production. Soil testing, digital mapping, sensor-based monitoring and data-driven recommendations help farmers understand variations in soil fertility, moisture availability and crop performance. These technologies enable the development of location-specific management strategies rather than relying on uniform agricultural practices.

Digital soil mapping can identify differences in soil organic carbon, pH, electrical conductivity, texture and nutrient availability. These maps can be integrated with crop-yield information and remote sensing observations to develop site-specific nutrient management plans. Precision fertilizer application can then be used to supply nutrients according to crop demand and soil fertility status.

8. Water Management and Climate Resilience

Water availability is one of the major limiting factors affecting agricultural productivity under climate change. Irregular rainfall, prolonged droughts, declining groundwater levels and increasing competition for water resources are creating challenges for crop production. Climate-smart water management aims to improve water productivity while ensuring sustainable utilization of available water resources.

Rainwater harvesting and watershed management are important strategies for conserving rainfall in rainfed agricultural regions. Farm ponds, check dams, contour bunds and recharge structures can increase water availability and improve groundwater recharge. In-situ moisture conservation practices, including mulching, residue retention and conservation furrows, reduce runoff and evaporation losses.

9. Sustainable Crop Production and Biodiversity Conservation

Sustainable crop production requires the integration of productivity enhancement with environmental protection and long-term conservation of natural resources. Monocropping and intensive input-dependent production systems can increase vulnerability to pests, diseases, soil degradation and climatic fluctuations. Crop diversification, mixed cropping, intercropping and integrated farming systems can improve ecological stability and income security.

ISSN (E): 2583 – 1933

Legume-based cropping systems contribute biological nitrogen fixation and improve soil fertility. Intercropping cereals with pulses can improve land-use efficiency and diversify farm production. Agroforestry and horticulture-based farming systems provide additional income sources and strengthen ecosystem services.

11. Future Perspectives and Research Priorities

Future climate-smart agriculture will increasingly depend on the integration of soil science, agronomy, environmental monitoring and digital technologies. Research should focus on developing location-specific soil health management strategies that consider variations in soil properties, climatic conditions, cropping systems and socioeconomic circumstances.

Artificial intelligence and machine learning can support the development of predictive models for crop yield, soil moisture, nutrient availability and climate-related agricultural risks. Integration of satellite data, weather information and field-level sensors can improve early warning systems and agricultural advisory services.

Research on soil microbiomes, beneficial microorganisms and biological nutrient cycling is another important priority. Improved understanding of plant–microbe–soil interactions can support the development of microbial technologies that enhance nutrient-use efficiency and crop resilience.

Future agricultural research should also prioritize affordable precision technologies for smallholders, climate-resilient crop varieties, renewable-energy-based irrigation and integrated farming systems. Such innovations can help develop productive agricultural systems that are economically viable, environmentally sustainable and socially inclusive.

CONCLUSION

Climate-smart soil and agronomic management is an essential approach for addressing the interconnected challenges of climate change, soil degradation, declining natural resources and increasing food demand. Soil health provides the foundation for sustainable crop production by regulating nutrient cycling, water availability, biological activity and carbon storage. Practices such as conservation agriculture, crop diversification, residue management, cover cropping, organic amendments and integrated nutrient management can improve soil quality and strengthen agricultural resilience.

The integration of precision technologies, including remote sensing, GIS, GPS, IoT-based sensors, drones, artificial intelligence and variable rate application systems, provides opportunities for efficient and site-specific agricultural management. These technologies enable better monitoring of soil and crop conditions, improve irrigation and fertilizer-use efficiency and support timely decision-making.

However, the successful adoption of climate-smart agriculture requires more than technological innovation. It also depends on farmer participation, affordable technologies, institutional support, effective extension services and location-specific research. Strengthening the relationship between soil health management, precision agriculture and sustainable agronomic practices will contribute to higher agricultural productivity, reduced environmental degradation and improved climate resilience.

Overall, integrating soil health, precision technologies and climate-smart agronomic management offers a promising pathway towards sustainable crop production, long-term food security and environmentally responsible agricultural development.