*Available online at*
http://currentagriculturetrends.vitalbiotech.org/

**ISSN (E): 2583 – 1933**

*Curr. Agri.Tren.:e- Newsletter,* (2026) *5*(11), 20-23

Current Agriculture Trends: e-Newsletter

Article ID: 780

# Safe Use of Agrochemicals in Crop Protection

**Vaishali Sharma[1]**
**Mayank Mehra[2]**
**K S Yadav[3]**

[1]Scientist (Soil Science & Agril. Chemistry)
[2]Programme Assistant (Food Science & Technology)
[3]Principal Scientist & Head
Jawaharlal Nehru Krishi Vishwa Vidyalaya Jabalpur (MP), Krishi Vigyan Kendra Sagar, India

Open Access

*Corresponding Author
**Vaishali Sharma***

**Article History**
Received: 08. 11.2026
Revised: 13. 11.2026
Accepted: 18. 11.2026

This article is published under the terms of the Creative Commons Attribution License 4.0.

## INTRODUCTION

To meet the food requirements of a growing population, it is essential to increase crop production and productivity. Insect pests, diseases and weeds significantly affect crop yields. Agrochemicals—such as insecticides, fungicides, herbicides and other plant-protection chemicals—are used for their effective management. Agrochemicals are important tools for crop protection; however, improper, unnecessary or excessive use beyond the recommended dose can harm farmers, consumers, livestock, wildlife and the environment. Therefore, they should be used only when required, on the basis of scientific recommendations and with the prescribed safety measures. The objective of safe agrochemical use is not only to control pests and diseases, but also to protect farmers, ensure quality agricultural produce and conserve the environment.


### Precautions Before Using Agrochemicals

Agrochemicals can enter the body through the skin, mouth and nose during preparation of spray solutions, spraying, or disposal of leftover spray mixture. Exposure may cause symptoms such as headache, dizziness and unconsciousness. Repeated exposure may contribute to long-term health problems, including asthma, migraine, skin disorders and high blood pressure. Severe exposure may even be fatal. Farmers must therefore take precautions to prevent direct contact with these toxic chemicals through the mouth, skin and respiratory tract. Read and follow all instructions printed on the product label carefully; even minor negligence can result in serious harm.

Before applying a chemical to any crop, first determine whether the pest, disease or weed problem has actually reached the economic threshold level. Do not spray repeatedly on the basis of guesswork alone.

ISSN (E): 2583 – 1933

Correct identification of the crop, pest, disease or weed is essential when selecting an agrochemical. Always purchase products from registered and reliable sources. Carefully check the product name, active ingredient, batch number, date of manufacture, expiry date and instructions printed on the label.




**Use the Correct Dose and Application Method**

The effectiveness of an agrochemical depends not only on the product itself, but also on the correct dose, volume of water, spraying technique and timing. Always determine the quantity according to the product label and recommendations of agricultural experts. Avoid direct hand contact while preparing the spray solution; use gloves and prevent the chemical from coming into contact with the eyes, nose or mouth. Do not mix different agrochemicals unless advised by a qualified expert.

**Farmer Safety During Spraying**

- The safety of the person applying agrochemicals is of utmost importance during spraying.
- Wear gloves, a mask or suitable respiratory protection, clothing that covers the entire body, footwear and eye protection wherever required.
- Do not eat, drink, smoke or consume tobacco while spraying. Do not touch your eyes, nose or mouth with hands that may be contaminated with chemicals.
- Avoid spraying in strong winds, extreme heat or when rain is expected. Pay attention to wind direction so that spray droplets do not drift onto the applicator or nearby people.
- Keep children, pregnant women, elderly people and animals away from the area being sprayed.

**Precautions After Spraying**

- After spraying, wash your hands, face and body thoroughly with soap and clean water. Wash contaminated clothes separately.
- Clean the protective equipment properly after use.

- Do not store agrochemicals inside the home or alongside food, animal feed or household items. Keep them in a secure, suitable place, out of the reach of children and animals.
- Never reuse empty chemical containers, bottles or packets for storing water, oil, food or other household materials. Dispose of empty containers safely; do not throw them into ponds, wells, canals or fields.

**Protection of Honeybees and Beneficial Insects**

Honeybees, parasitoids, predators and other organisms play an important role in the agricultural ecosystem. Many beneficial insects naturally regulate harmful pests, while honeybees make an important contribution to pollination. Therefore, avoid unnecessary insecticide applications during the flowering stage of crops. If an application is essential, consult an agricultural expert to select an appropriate product and application time so that the impact on beneficial insects and honeybees is minimized.

**Protection of Water, Soil and the Environment**

Improper use of agrochemicals can affect soil and water resources. While preparing spray solutions and spraying, ensure that chemicals do not enter wells, ponds, canals, rivers or other water bodies. Use chemicals only as required by the crop. Unnecessary and repeated spraying can lead to the development of resistance in pest populations, making their control more difficult in the future.

**Observe the Waiting Period Before Harvest**

The waiting period is an important aspect of safe agrochemical use. Maintain the interval specified on the product label between the last application and harvesting. This allows chemical residues in the produce to decline to safer levels. This is particularly important for crops eaten directly, such as vegetables and pulses.

**Give Priority to Integrated Pest Management**

It is not advisable to depend solely on chemicals for crop protection. Integrated Pest Management (IPM) combines biological, mechanical, physical and cultural methods with chemical control, when necessary. The use of healthy and certified seeds, crop rotation, field sanitation, removal of diseased plants, light traps or pheromone traps, biopesticides and conservation of natural enemies can help reduce the need for chemical pesticides.

**What to Do in Case of Poisoning or Exposure?**

If an agrochemical comes into contact with the eyes or skin, immediately wash the affected area with plenty of clean water. If a person develops vomiting, dizziness, breathing difficulty, severe weakness or other serious symptoms after exposure, seek medical assistance immediately. Showing the product label or packet to the doctor may be helpful. Do not induce vomiting or try home remedies without medical advice.

**Four Basic Principles for Safe Agrochemical Use**

**Right product → Right dose → Right time → Right method**

Following these four principles helps improve the effectiveness of agrochemicals while protecting farmers, consumers and the environment.

## CONCLUSION

Agrochemicals are important tools for crop protection, but they must be used judiciously, only when needed and in accordance with scientific recommendations. Excessive and

ISSN (E): 2583 – 1933

unnecessary use increases the cost of cultivation and may adversely affect human health, biodiversity, soil and water resources. Before using any chemical, every farmer should ensure correct identification of the pest or disease, selection of the recommended product and dose, use of an appropriate spraying technique and observance of the waiting period. Integrated Pest Management should also be adopted to reduce dependence on chemical pesticides. Safe agrochemical use is not only a foundation for good crop production; it is also an important step towards healthy farmers, safe consumers and a clean environment. Use chemicals when needed, not out of habit—a safe farmer is the hallmark of prosperous agriculture.

Copyright © Nov., 2026; Current Agriculture Trends