Available online at
http://currentagriculturetrends.vitalbiotech.org/

ISSN (E): 2583 – 1933

Curr. Agri.Tren.:e- Newsletter, (2026) 5(3), 1-4

Current Agriculture Trends:
e-Newsletter

Article ID: 578

Harnessing Genomics to Decode Plant-Insect Interactions: Paving the Way for Pest-Resilient Crops

Kamala Devappa Gaddennavar[1*], Manjunath D. R.[2], Dhane Ankur Sudam[3], Saloni Singh[4] and Nagendra Kumar[5]

[1]Ph.D. Scholar, Department of Entomology, College of Horticulture, Bengaluru, UHS, Bagalkot
[2]Ph.D. Scholar, Department of Floriculture and Landscape Architecture, University of Horticultural Sciences, Bagalkot
[3]Assistant Professor, Department of Entomology, Dr. B. S. Kokan Krishi Vidyapeeth, Dapoli, Maharashtra
[4]Ph.D. Scholar, Department of Genetics and Plant Breeding, Chandra Shekhar Azad University of Agriculture and Technology, Kanpur, Uttar Pradesh
[5]Associate Professor, Department of Entomology, PGCA, RPCAU, Pusa, Bihar

*Corresponding Author
Kamala Devappa Gaddennavar*

Article History
Received: 22. 2.2026
Revised: 27. 2.2026
Accepted: 3. 3.2026

INTRODUCTION

Plant insect interactions are among the most influential biotic forces shaping plant communities and agricultural systems. Insect herbivores consume plant tissues and interfere with essential physiological processes, resulting in yield loss, reduced crop quality and increased vulnerability to secondary pathogens. The economic impact of insect pests extends to billions of dollars in lost global productivity annually. Historically, synthetic pesticides have been used to control insect pests, but their indiscriminate use has led to resistance development in pest populations, disruption of ecological balance and concerns regarding human health and environmental safety.

Plants have evolved a repertoire of physical and chemical defence strategies that operate at cellular and molecular levels. Mechanical barriers such as thickened cell walls, trichomes and wax coatings impede insect herbivory. In addition, plants deploy inducible chemical defences including secondary metabolites, volatile organic compounds and protein inhibitors that reduce insect feeding and survival. These defence strategies are not static. Plants can perceive herbivore attack and dynamically activate defence pathways through complex signalling networks involving phytohormones such as jasmonic acid, salicylic acid and ethylene.

Insect herbivores themselves exhibit diverse feeding strategies. Chewing insects consume large portions of leaf or stem tissues, whereas piercing and sucking insects tap into the vascular system to extract nutrients. These feeding strategies elicit distinct plant responses that are fine-tuned by specific gene regulatory networks. Decoding these interactions at the genomic level provides an opportunity to identify key genes that determine susceptibility or resistance.

ISSN (E): 2583 – 1933

The rise of affordable next-generation sequencing and functional genomics tools has transformed our understanding of plant-insect interactions. High resolution genomic data from both plant and insect genomes allow researchers to explore gene families, regulatory networks and evolutionary adaptations that determine the outcome of plant-insect encounters. Integrating this genomic knowledge with traditional breeding and biotechnology offers a new frontier in developing pest-resilient crops that reduce reliance on chemical controls while maintaining productivity and sustainability.

Plant Defence Mechanisms Against Insect Herbivores

Plants defend themselves through multilayered innate immune responses that include both constitutive barriers and inducible defence systems. Constitutive defences are always present and provide baseline protection. Inducible defences are activated upon herbivore attack and include changes in gene expression leading to the production of defence compounds.

Molecular signals from herbivores, such as oral secretions, can trigger plant defence pathways that are mediated by phytohormone signalling networks. Jasmonic acid is central to defence against chewing insects, whereas salicylic acid plays a greater role in resistance against piercing and sucking insects. The interplay between different signalling pathways determines the specificity and strength of the response.

Plant volatile organic compounds serve dual roles in direct defence and indirect defence by attracting natural enemies of herbivores. For example, certain terpenoids released upon herbivory can recruit predatory beetles or parasitic wasps, which reduce herbivore populations.

Insect Strategies to Overcome Plant Defences

Insects have also evolved genomic mechanisms to counteract plant defences. Gene families associated with detoxification of plant compounds, such as cytochrome P450 monooxygenases, glutathione S transferases and esterases, are often expanded in herbivore genomes. These enzymes metabolise toxic plant secondary metabolites and enable insects to feed on defended hosts.

Salivary effectors delivered during feeding can modulate plant signalling pathways to suppress defences. Genomic analysis of insect saliva and gut secretions has identified candidate effector molecules that interact with plant proteins. Understanding these effectors and their plant targets is crucial for unravelling the molecular tug of war between plants and herbivores.

Genomic Tools in Decoding Plant-Insect Interactions

The rapid evolution of genomic technologies and analytical tools allows researchers to dissect complex interactions between plants and insects. Below is a summary of key genomic approaches and their contributions to understanding pest dynamics.

Table 1: Genomic Approaches Used in Plant-Insect Interaction Research

Genomic Approach	**Application**	**Insights Gained**
Whole Genome Sequencing	Decoding entire genomes of plants or insects	Identification of gene families involved in defence and virulence
RNA Sequencing	Gene expression profiling in response to attack	Discovery of defence or counter-defence responsive genes
Genome-Wide Association Studies	Linking genetic variation to phenotypic traits	Identification of loci associated with pest resistance
Comparative Genomics	Cross-species genome comparison	Evolution of defence gene families and detoxification enzymes
Epigenomic Profiling	Analysis of regulatory changes	Role of chromatin state in inducible defence

Whole Genome Sequencing

Decoding the genomes of pest insects and crop plants provides a comprehensive resource for identifying gene families and regulatory elements that govern defence and counter-defence. For example, sequencing of lepidopteran and aphid genomes has expanded knowledge of detoxification gene repertoires and host adaptation.

Transcriptomics and Expression Profiling

RNA sequencing enables high-resolution analysis of gene expression changes that occur during plant-insect interactions. Time course expression data can reveal early signalling events and late defence responses. Similarly, profiling insect gene expression during host plant feeding reveals induced detoxification pathways.

Applying Genomic Knowledge to Develop Pest-Resistant Crops

The ultimate goal of genomic research in plant-insect interactions is to translate knowledge into practical solutions for agriculture. Several strategies are emerging based on insights from genomics.

Identification of Resistance Genes

Genes that confer resistance to insect pests can be identified through genomic analysis. These include receptors that recognise herbivore elicitors and transcription factors that regulate defence gene networks.

Leveraging Natural Variation

Genomic variation within crop germplasm collections can be exploited to identify alleles associated with pest resistance. Marker-assisted and genomic selection techniques use this information to accelerate breeding for resilient varieties.

Genome Editing and Biotechnology Applications

Genome editing tools such as CRISPR Cas provide the ability to modify key genes associated with susceptibility or defence regulation. Editing can be used to enhance the expression of defence genes or to knock out negative regulators of defence. Biotechnology-based expression of insecticidal proteins has been successful, as seen in plants engineered to express insecticidal proteins that target pest-specific physiology.

Table 2: Examples of Genomics-Enabled Pest Resilience Strategies

Crop	Target	Genomic Strategy Used	Outcome
Maize	Resistance to stem borer	Identification of resistant loci	Enhanced pest resilience
Cotton	Expression of insecticidal protein	Transgenic expression	Reduced insect damage
Tomato	Detoxification suppression	CRISPR-based gene modification	Improved resistance

Integrated Pest Management and Future Prospects

Genomic knowledge is increasingly being integrated with traditional pest management practices in forms of integrated pest management frameworks that combine cultural interventions, biological control, and pest population monitoring. Future research will benefit from high-throughput phenotyping and systems biology approaches that can model plant-insect interactions under variable environmental conditions.

Integration of genomic surveillance of pest populations with crop-deployed resistance strategies can prevent or delay resistance breakdown. Adaptive management based on evolutionary insights is essential for long-term sustainability.

Ethical and Regulatory Considerations

The deployment of genome-edited or genetically engineered crops raises regulatory and ethical considerations. Safety assessments, environmental impact studies and frameworks for equitable access for smallholder farmers must accompany technological advances. Transparent communication with stakeholders, including farmers, consumers and policymakers, is important for public acceptance.

CONCLUSION

Harnessing genomics to decode plant insect interactions represents a major advancement in modern agricultural science, providing deep mechanistic insight into how plants perceive herbivore attack, activate complex defence signalling pathways, and regulate metabolic responses, while simultaneously revealing how insects evolve detoxification systems, salivary effectors, and adaptive genetic changes that enable them to overcome plant defences. This dual genomic perspective shifts crop protection strategies from reliance on single major resistance genes toward an integrated understanding of multilayered gene networks, quantitative resistance loci, and regulatory hubs that collectively determine durable pest resilience. By integrating genomic information into marker-assisted selection, genomic

ISSN (E): 2583 – 1933

selection, and precise genome editing approaches, breeders can accelerate the development of pest-resilient cultivars that maintain yield stability and agronomic performance. Furthermore, genomic insights contribute to ecological pest management by informing biological control strategies, volatile-mediated plant signalling applications, and surveillance of pest population genetics to detect emerging resistance. Although challenges such as growth defence trade-offs and environmental variability remain, continued integration of genomics with systems biology, breeding science, and integrated pest management frameworks offers a sustainable pathway to reduce chemical pesticide dependence and enhance long-term agricultural productivity. Ultimately, the strategic application of genomic knowledge will play a central role in developing resilient cropping systems capable of meeting global food security demands under changing environmental and pest pressures.

REFERENCES

Howe Gregg A and Jander Georg (2008). Plant insect interactions controlling defence and counter-defence. Annual Review of Plant Biology. 59:41 66.

Van Frank Merijn and Turlings Theodore C J (2019). Plant volatiles as emerging tools for pest management. Journal of Chemical Ecology. 45(7):619 633.

Vogel Helmut (2017). Genome sequencing and its contribution to understanding insect adaptation to the host. Current Opinion in Insect Science.19:92 98.

War Abraham and Lichtfouse Eric (2019). Integrating genomics with integrated pest management strategies for sustainable agriculture. Frontiers in Plant Science.10:112.

Zhang Hongbin (2020). Advances in genome editing for crop improvement. Plant Biotechnology Journal. 18(6):1128 1140.