



Microorganisms in Organic Farming

Dhanshree Bharat Jhadav*,
Sadras Bhavana,
Sheshanka Dugyala

Assistant Professor, School of
Agriculture, Kaveri University



Open Access

*Corresponding Author

Dhanshree Bharat Jhadav *

Article History

Received: 3. 4.2026

Revised: 7. 4.2026

Accepted: 12. 4.2026

This article is published under the
terms of the [Creative Commons
Attribution License 4.0](https://creativecommons.org/licenses/by/4.0/).

INTRODUCTION

Organic farming operates as a comprehensive agricultural method which achieves environmental sustainability through its reliance on natural ecological processes and existing biodiversity and organic nutrient distribution systems. Microorganisms serve as the essential element in this system because they establish the biological basis which supports both soil fertility and plant growth. Soil exists as a dynamic ecosystem which holds billions of microorganisms that operate continuously to control nutrient distribution and organic material breakdown and soil structure development and disease resistance. The microorganisms in organic farming serve as the system's "biological engine" because they convert organic waste into nutrients which plants can use while they maintain ecological harmony. Microbial activity functions as the necessary foundation for organic farming systems which require continuous soil health and productivity maintenance.

2. Major Groups of Microorganisms in Organic Farming

2.1 Bacteria

Bacteria represent the most common microorganisms which exist in soil as they display a wide range of functions while helping plants through their role in nutrient cycling. Bacteria perform multiple functions in organic farming systems which include nitrogen fixation and phosphorus solubilization and organic matter decomposition and growth-promoting substance production. Important genera such as Rhizobium, Azotobacter, Azospirillum, and Bacillus are widely used in organic agriculture because they enhance soil fertility and crop productivity naturally. The bacteria establish their presence in the rhizosphere where they create advantageous connections with plant roots which boost plant nutrient absorption capabilities.

2.2 Fungi

The organic farming system relies on fungi which act as decomposers to process organic matter that contains cellulose and hemicellulose and lignin which bacteria cannot break down. Mycorrhizal fungi form symbiotic relationships with plant roots which lead to improved nutrient and water absorption especially for phosphorus uptake. The arbuscular mycorrhizal fungi *Glomus* species enhance root surface development which helps plants withstand drought and soil stress. *Trichoderma* and other beneficial fungi function as biocontrol agents by preventing the spread of soil-borne plant diseases.

2.3 Actinomycetes

Actinomycetes represent a specific group of bacteria that develop filamentous structures which resemble fungal growth patterns while they decompose hard-to-destroy organic materials that exist in terrestrial ecosystems. The organisms function to decompose organic residues which results in humus production that enhances both soil structure and soil fertility. *Streptomyces* bacteria produce various antibiotics which protect against soil pathogens while maintaining the microbial ecosystem in the rhizosphere.

2.4 Cyanobacteria (Blue-Green Algae)

Cyanobacteria represent photosynthetic microorganisms which play a critical role in wetland and paddy ecosystems because they support biological nitrogen fixation. The organisms convert atmospheric nitrogen into forms that plants can use which results in natural soil fertility enhancement without requiring additional nitrogen sources. The use of cyanobacteria in rice-based organic farming systems enables farmers to increase soil productivity while decreasing their need for chemical nitrogen fertilizers.

2.5 Protozoa and Nematodes

Protozoa and beneficial nematodes play an important regulatory role in soil microbial food webs by feeding on bacteria and fungi. This grazing activity helps in nutrient mineralization, especially the release of

nitrogen and phosphorus in plant-available forms. These organisms also help maintain microbial population balance and contribute to overall soil ecosystem stability.

3. Role of Microorganisms in Organic Farming

3.1 Nutrient Cycling and Soil Fertility

Microorganisms are the primary agents responsible for nutrient cycling in organic farming systems because they decompose organic materials such as farmyard manure, compost, crop residues, and green manure. During decomposition, complex organic compounds are converted into simpler inorganic forms that plants can easily absorb. Microbial processes include nitrogen mineralization, phosphorus solubilization, sulfur oxidation, and carbon cycling, all of which contribute to maintaining long-term soil fertility and productivity.

3.2 Biological Nitrogen Fixation

Biological nitrogen fixation is one of the most important microbial functions in organic farming systems, where atmospheric nitrogen is converted into ammonia or other usable forms by specific microorganisms. Symbiotic bacteria such as *Rhizobium* form nodules in leguminous plants and fix nitrogen efficiently, while free-living bacteria such as *Azotobacter* and *Azospirillum* fix nitrogen independently in the soil. Cyanobacteria in paddy fields also contribute significantly to nitrogen inputs, reducing the need for external nitrogen fertilizers.

3.3 Decomposition of Organic Matter

Microorganisms perform an essential function when they decompose organic matter which includes crop residues and animal manure and compost materials. Through their enzymatic activities microorganisms decompose complex organic materials into basic organic components which produce humus. The presence of humus in soil creates better structural integrity while the material also increases water retention abilities and preserves nutrients and maintains organic farming systems operational throughout their existence.

3.4 Disease Suppression and Biocontrol

Beneficial microorganisms function as natural biocontrol agents because they reduce plant pathogen populations through competitive mechanisms and their ability to produce antibacterial substances and their capacity to initiate systemic resistance. The *Trichoderma* species compete with soil-borne fungal pathogens because they need nutrients and they produce antifungal substances. The *Pseudomonas fluorescens* bacterium protects crops by producing antibiotics and siderophores which prevent various bacterial and fungal diseases without using chemical pesticides.

3.5 Production of Plant Growth Hormones

Beneficial soil microorganisms produce plant growth-regulating substances which include auxins and gibberellins and cytokinins to improve plant development. These hormones promote root lengthening and they enhance root development and they boost nutrient uptake capacity. The organic farming environment enables plants to develop better stress resistance while showing increased vitality and productivity.

4. Important Microbial Bioinoculants in Organic Farming

4.1 Biofertilizers

Biofertilizers are microbial formulations that enhance nutrient availability in soil by fixing atmospheric nitrogen or solubilizing essential nutrients. The most common biofertilizers include *Rhizobium* for legumes, *Azotobacter* for non-leguminous crops, *Azospirillum* for cereals and grasses, and phosphate-solubilizing bacteria (PSB) which convert insoluble phosphorus into plant-available forms. The biofertilizers decrease chemical fertilizer needs while they enhance the biological activity of soil.

4.2 Biopesticides and Biocontrol Agents

Biopesticides are microbial agents used for the biological control of plant pests and diseases in organic farming. The biological control agent *Trichoderma harzianum* effectively combats soil-borne fungal pathogens, while

Bacillus thuringiensis (Bt) uses its toxin production to defend against insect pests. *Pseudomonas fluorescens* functions as a biocontrol agent by stopping pathogen development while boosting plant defense mechanisms.

4.3 Mycorrhizal Fungi

Arbuscular mycorrhizal fungi (AMF) develop mutualistic relationships with plant roots which enable plants to absorb nutrients better especially phosphorus and micronutrients. The fungi improve plants' ability to absorb water which leads to better drought protection and greater capacity to withstand soil-based environmental challenges. Their presence is particularly beneficial in low-fertility soils which organic farming practices typically use.

4.4 Composting Microorganisms

Composting microorganisms consist of various bacterial and fungal species which speed up the process of converting organic waste into compost with high nutritional value. Effective Microorganisms (EM) function as a microbial combination which boosts composting productivity while enhancing the nutritional standards of the resulting compost. These microbial consortia help convert agricultural and household waste into valuable organic manure.

5. Role of Microorganisms in Organic Soil Management Practices

5.1 Composting

Composting processes depend on microorganisms which use their abilities to convert organic waste materials into stable humus-like substances. Microorganisms create heat during composting which speeds up decomposition while rendering soil-nourishing organic manure that benefits soil health.

5.2 Green Manuring

Microorganisms in green manuring systems decompose all green biomass that farmers supply, which includes legumes and non-legumes, to release essential nutrients into the soil. This process increases soil organic matter content and enhances microbial activity, which improves overall soil health.

5.3 Crop Rotation

Crop rotation enables different root exudates and organic residues to sustain beneficial microorganisms through its various plant roots. The method enables farmers to disrupt pest and disease cycles while sustaining natural soil ecosystems.

5.4 Mulching

Mulching creates an ongoing supply of organic materials which researchers claim will enhance microbial growth and activity through its continuous presence on the soil. The process enhances soil moisture retention while decreasing erosion and improving nutrient cycling in organic farming systems.

6. Benefits of Microorganisms in Organic Farming

Microorganisms use their abilities to promote nutrient cycling and organic matter decomposition to create better soil conditions which lead to increased soil fertility. The natural process of plant nutrient supply together with their ability to control plant diseases enables them to decrease the need for chemical fertilizers and pesticides. The solution improves plant growth through better nutrient access which results in stable crop yields across different weather conditions. The solution enhances biodiversity while fostering soil improvement and creating sustainable agricultural practices which last over extended periods.

7. Limitations and Challenges

Microbial treatments bring various advantages to organic farming. However, they face multiple obstacles because their effects progress at a slower rate than chemical fertilizers, which creates problems for crops that need immediate nutritional support. Microbial effectiveness depends on various environmental factors, which include temperature and moisture levels and soil pH measurements. Microorganisms need adequate organic material to live and function at their best. The effectiveness of microbial inoculants in the field depends on soil diversity because

improper storage and handling methods decrease their ability to work properly.

8. Future Prospects

The future of organic farming will benefit from microbial research because current biotechnology developments and microbiome studies have reached new heights. The creation of multi-strain microbial consortia will demonstrate better field results because they will provide consistent performance and effective results. Microbiome engineering will create custom microbial solutions for specific crops which will boost their production. Microbial technologies combined with precision agriculture methods will lead to better control of nutrients and better health for crops. Sustainable organic farming practices will gain additional support through the development of nanotechnology delivery systems and the growth of the biofertilizer market.

CONCLUSION

Microorganisms form the backbone of organic farming systems by sustaining soil fertility, enhancing nutrient cycling, suppressing plant diseases, and promoting plant growth naturally. Their diverse functional roles make them essential for maintaining ecological balance and agricultural productivity without reliance on synthetic inputs. The strategic application of beneficial microorganisms such as biofertilizers, biopesticides, mycorrhizae, and composting microbes is crucial for achieving sustainable, productive, and environmentally friendly agriculture in the future.

REFERENCES

- Balogun, R. B., Ogbu, J. U., Umeokechukwu, E. C., & Kalejaiye-Matti, R. B. (2016). Effective micro-organisms (EM) as sustainable components in organic farming: principles, applications and validity. In *Organic farming for sustainable*

- agriculture (pp. 259-291). Cham: Springer International Publishing.
- Jadon, A., & Verma, M. (2021). Organic farming: Role of microorganism. *Contemporary Advances in Science and Technology, 1*, 61.
- Murali, A. P., Trzaskowska, M., & Trafialek, J. (2023). Microorganisms in organic food-issues to be addressed. *Microorganisms, 11*(6), 1557.
- Yadav, S. K., Soni, R., & Rajput, A. S. (2018). Role of microbes in organic farming for sustainable agro-ecosystem. In *Microorganisms for Green Revolution: Volume 2: Microbes for Sustainable Agro-ecosystem* (pp. 241-252). Singapore: Springer Singapore.
- Zarb, J., Ghorbani, R., Koocheki, A., & Leifert, C. (2005). The importance of microorganisms in organic agriculture. *Outlooks on Pest Management, 16*(2), 52-55.